Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Dust

Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).

Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Dynamics

Robust Stationkeeping Control for Libration Point Quasi-Periodic Orbits — Yunjun Xu and Shankar Suman; 21 (2), 102-15 (2008).

Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Energy

Closed-Form Isoparametric Shape Functions of Four-Node Convex Finite Elements — Gautam Dasgupta; 21 (1), 10-8 (2008).

Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Energy absorption

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Engines

Gouging and Fracture of Engine Containment Structure under Fragment Impact — X. Teng and T. Wierzbicki; 21 (3), 174-86 (2008).

Environmental issues

Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Epoxy compounds

Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Epoxy resins

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Excavation

Position Accommodation and Compliance Control for Robotic Excavation — William Richardson-Little and Christopher Damaren; 21 (1), 27-34 (2008).

Failure modes

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Feedback control

Artificial Swarm System: Boundedness, Convergence, and Control — Ye-Hwa Chen; 21 (4), 288-93 (2008).

Fiber optics

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Fiber reinforced polymers

Rate-Dependent Shell Element Composite Material Model Implementation in LS-DYNA — Xiahua Zheng and Wieslaw K. Binienda; 21 (3), 140-51 (2008).

Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Finite difference method

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Finite element method

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Closed-Form Isoparametric Shape Functions of Four-Node Convex Finite Elements — Gautam Dasgupta; 21 (1), 10-8 (2008).

Stiffness Matrices of Isoparametric Four-Node Finite Elements by Exact Analytical Integration — Gautam Dasgupta; 21 (2), 45-50 (2008).

Simplified Braiding through Integration Points Model for Triaxially Braided Composites — Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Foam

Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).

Friction

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Full-scale tests

Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Honeycomb structures

Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Hysteresis

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Ice

Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Impact

Analysis of Impact Response of Composite Laminates under Prestress — D. Zheng and W. K. Binienda; 21 (4), 197-205 (2008).

Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Impact loads

Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Kalman filters

Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Laminates

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Analysis of Impact Response of Composite Laminates under Prestress — D. Zheng and W. K. Binienda; 21 (4), 197-205 (2008).

Launching

Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Manufacturing

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Masonry

Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Material properties

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Material tests

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Matrices, mathematics
Stiffness Matrices of Isoparametric Four-Node Finite Elements by Exact Analytical Integration — Gautam Dasgupta; 21 (2), 45-50 (2008).

Measurement
Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Mechanical systems
Artificial Swarm System: Boundedness, Convergence, and Control — Ye-Hwa Chen; 21 (4), 288-93 (2008).

Models
Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Moon
Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).

Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Morphology
Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Neural networks
Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Noise control
Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Nondestructive tests
Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Nonlinear analysis
Artificial Swarm System: Boundedness, Convergence, and Control — Ye-Hwa Chen; 21 (4), 288-93 (2008).

Nonlinear methods
Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Oxygen
Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Parameters
Closed-Form Isoparametric Shape Functions of Four-Node Convex Finite Elements — Gautam Dasgupta; 21 (1), 10-8 (2008).

Particle size
Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).

Passive control
Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Plasticity
Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Plates
Simplified Braiding through Integration Points Model for Triaxially Braided Composites — Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Polymers
Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Simplified Braiding through Integration Points Model for Triaxially Braided Composites — Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Prestressing
Analysis of Impact Response of Composite Laminates under Prestress — D. Zheng and W. K. Binienda; 21 (4), 197-205 (2008).

Protective structures
Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Residual strength
Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Robotics
Position Accommodation and Compliance Control for Robotic Excavation — William Richardson-Little and Christopher Damaren; 21 (1), 27-34 (2008).

Sandwich structures
Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Satellites
Robust Stationkeeping Control for Libration Point Quasi-Periodic Orbits — Yunjun Xu and Shankar Suman; 21 (2), 102-15 (2008).

Seismic design
Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Sensors
Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Shape
Closed-Form Isoparametric Shape Functions of Four-Node Convex Finite Elements — Gautam Dasgupta; 21 (1), 10-8 (2008).

Shells
Rate-Dependent Shell Element Composite Material Model Implementation in LS-DYNA — Xiahua Zheng and Wieslaw K. Binienda; 21 (3), 140-51 (2008).

Shock waves
Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Simulation
Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).

Size effect
Gouging and Fracture of Engine Containment Structure under Fragment Impact — X. Teng and T. Wierzbicki; 21 (3), 174-86 (2008).

Slip
Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Solar energy
Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Space colonies
Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Space construction
Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Space exploration
Technical Requirements for Lunar Structures —

Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Space shuttle orbiter

Robust Stationkeeping Control for Libration Point Quasi-Periodic Orbits — Yunjun Xu and Shankar Suman; 21 (2), 102-15 (2008).

Space structures

Coupling among Pitch Motion, Axial Vibration, and Orbital Motion of Large Space Structures — Kosei Ishimura and Ken Higuchi; 21 (2), 61-71 (2008).

Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Spacecraft

Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Spheres

Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).

Stability

Artificial Swarm System: Boundedness, Convergence, and Control — Ye-Hwa Chen; 21 (4), 288-93 (2008).

Stiffness

Stiffness Matrices of Isoparametric Four-Node Finite Elements by Exact Analytical Integration — Gautam Dasgupta; 21 (2), 45-50 (2008).

Strain rate

Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).

Rate-Dependent Shell Element Composite Material Model Implementation in LS-DYNA — Xiahua Zheng and Wieslaw K. Binienda; 21 (3), 140-51 (2008).

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Structural analysis

Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Structural dynamics

Coupling among Pitch Motion, Axial Vibration, and Orbital Motion of Large Space Structures — Kosei Ishimura and Ken Higuchi; 21 (2), 61-71 (2008).

Temperature effects

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Tensile strength

Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Thermal energy

Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Thermal factors

Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Three-dimensional models

Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Toxicity

Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).

Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Turbulent flow

Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Velocity

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Vibration

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Coupling among Pitch Motion, Axial Vibration, and Orbital Motion of Large Space Structures — Kosei Ishimura and Ken Higuchi; 21 (2), 61-71 (2008).

Viscoplasticity

Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).

Wind

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Wind speed

Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Wind tunnels

Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Wire products

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Author Index

Annamdas, Venu Gopal Madhav

Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Arnold, William A.

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Askari, Abe

Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Aykan, Rahmi

Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Binienda, Wieslaw K.

Impact Mechanics of Composite Materials for Aerospace Application — Pizhong Qiao and Wieslaw K. Binienda; 21 (3), 117-8 (2008).

Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).

Rate-Dependent Shell Element Composite Material Model Implementation in LS-DYNA — Xiahua Zheng and Wieslaw K. Binienda; 21 (3), 140-51 (2008).

Simplified Braiding through Integration Points Model for Triaxially Braided Composites — Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Impact Behavior and High-Energy Absorbing Materials — Pizhong Qiao and Wieslaw K. Binienda; 21 (4), 195-6 (2008).

Analysis of Impact Response of Composite Laminates under Prestress — D. Zheng and W. K. Binienda; 21 (4), 197-205 (2008).

Blocken, B.

Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Bobaru, Florin

Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Brown, Jay P.

Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Caliskan, Fikret

Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Carmeliet, J.

Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Chattopadhyay, Aditi

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Chen, Ye-Hwa

Artificial Swarm System: Boundedness, Convergence, and Control — Ye-Hwa Chen; 21 (4), 288-93 (2008).

Cheng, Jingyun

Simplified Braiding through Integration Points Model for Triaxially Braided Composites — Jingyun Cheng and Wieslaw K. Binienda; 21 (3), 152-61 (2008).

Crocombe, A. D.

Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Damaren, Christopher

Position Accommodation and Compliance Control for Robotic Excavation — William Richardson-Little and Christopher Damaren; 21 (1), 27-34 (2008).

Dasgupta, Gautam

Closed-Form Isoparametric Shape Functions of Four-Node Convex Finite Elements — Gautam Dasgupta; 21 (1), 10-8 (2008).

Stiffness Matrices of Isoparametric Four-Node Finite Elements by Exact Analytical Integration — Gautam Dasgupta; 21 (2), 45-50 (2008).

Gao, Z. Y.

Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).

Gerges, Rafik R.

Model for the Force–Displacement Relationship of Wire Rope Springs — Rafik R. Gerges; 21 (1), 1-9 (2008).

Goldberg, Robert K.

Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).

Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).

Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Hajiyev, Chingiz

Aircraft Icing Detection, Identification, and Reconfigurable Control Based on Kalman Filtering and Neural Networks — Fikret Caliskan, Rahmi Aykan, and Chingiz Hajiyev; 21 (2), 51-60 (2008).

Higuchi, Ken

Coupling among Pitch Motion, Axial Vibration, and Orbital Motion of Large Space Structures — Kosei Ishimura and Ken Higuchi; 21 (2), 61-71 (2008).

Hill, Eddy

Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Ishimura, Kosei

Coupling among Pitch Motion, Axial Vibration, and Orbital Motion of Large Space Structures — Kosei Ishimura and Ken Higuchi; 21 (2), 61-71 (2008).

Jablonski, Alexander M.

Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Kihm, Kenneth D.

Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).

Kreiner, Jesa

Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Littell, Justin D.
Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).
Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Liu, Yang
Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).
Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Maji, Arup K.
Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Mosallam, Ayman
Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Nakamura, Takashi
Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Ogden, Kelly A.
Technical Requirements for Lunar Structures — Alexander M. Jablonski and Kelly A. Ogden; 21 (2), 72-90 (2008).

Park, Jaesung
Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).
Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Purdue, John D.
Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Qiao, Pizhong
Impact Mechanics of Composite Materials for Aerospace Application — Pizhong Qiao and Wieslaw K. Binienda; 21 (3), 117-8 (2008).
Impact Behavior and High-Energy Absorbing Materials — Pizhong Qiao and Wieslaw K. Binienda; 21 (4), 195-6 (2008).
Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).
Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Richardson, G.
Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Richardson-Little, William
Position Accommodation and Compliance Control for Robotic Excavation — William Richardson-Little and Christopher Damaren; 21 (1), 27-34 (2008).

Roberts, Gary D.
Approximation of Nonlinear Unloading Effects in the Strain Rate Dependent Deformation Analysis of Polymer Matrix Materials Utilizing a State Variable Approach — Robert K. Goldberg, Gary D. Roberts, Justin D. Littell, and Wieslaw K. Binienda; 21 (3), 119-31 (2008).
Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Ruggeri, Charles R.
Measurement of Epoxy Resin Tension, Compression, and Shear Stress–Strain Curves over a Wide Range of Strain Rates Using Small Test Specimens — Justin D. Littell, Charles R. Ruggeri, Robert K. Goldberg, Gary D. Roberts, William A. Arnold, and Wieslaw K. Binienda; 21 (3), 162-73 (2008).

Schnare, Darren
Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Senior, Constance L.
Solar Thermal Power for Lunar Materials Processing — Takashi Nakamura and Constance L. Senior; 21 (2), 91-101 (2008).

Silling, Stewart
Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Slenk, Joel
Assessment of Residual Tensile Strength of Carbon/Epoxy Composites Subjected to Low-Energy Impact — Ayman Mosallam, Joel Slenk, and Jesa Kreiner; 21 (4), 249-58 (2008).

Soh, Chee Kiong
Three-Dimensional Electromechanical Impedance Model for Multiple Piezoceramic Transducers—Structure Interaction — Venu Gopal Madhav Annamdas and Chee Kiong Soh; 21 (1), 35-44 (2008).

Stathopoulos, T.
Wind Environmental Conditions in Passages between Two Long Narrow Perpendicular Buildings — B. Blocken, T. Stathopoulos, and J. Carmeliet; 21 (4), 280-7 (2008).

Suman, Shankar
Robust Stationkeeping Control for Libration Point Quasi-Periodic Orbits — Yunjun Xu and Shankar Suman; 21 (2), 102-15 (2008).

Taylor, Lawrence A.
Characterization of Lunar Dust for Toxicological Studies. I: Particle Size Distribution — Jaesung Park, Yang Liu, Kenneth D. Kihm, and Lawrence A. Taylor; 21 (4), 266-71 (2008).
Characterization of Lunar Dust for Toxicological Studies. II: Texture and Shape Characteristics — Yang Liu, Jaesung Park, Darren Schnare, Eddy Hill, and Lawrence A. Taylor; 21 (4), 272-9 (2008).

Teng, X.
Gouging and Fracture of Engine Containment Structure under Fragment Impact — X. Teng and T. Wierzbicki; 21 (3), 174-86 (2008).

Uddin, Nasim
Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Underwood, C. I.
Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Urgessa, Girum S.
Full-Scale Testing and Analysis for Blast-Resistant Design — Arup K. Maji, Jay P. Brown, and Girum S. Urgessa; 21 (4), 217-25 (2008).

Vaidya, Uday
Feasibility of Thermoplastic Composite Jackets for Bridge Impact Protection — Nasim Uddin, John D. Purdue, and Uday Vaidya; 21 (4), 259-65 (2008).

Wang, R.
Energy Dissipation in Spacecraft Structures Incorporating Bolted Joints Operating in Macroslip — R. Wang, A. D. Crocombe, G. Richardson, and C. I. Underwood; 21 (1), 19-26 (2008).

Weckner, Olaf
Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Wierzbicki, T.
Gouging and Fracture of Engine Containment Structure under Fragment Impact — X. Teng and T. Wierzbicki; 21 (3), 174-86 (2008).

Xu, Jifeng
Peridynamic Analysis of Impact Damage in Composite Laminates — Jifeng Xu, Abe Askari, Olaf Weckner, and Stewart Silling; 21 (3), 187-94 (2008).

Xu, Yunjun
Robust Stationkeeping Control for Libration Point Quasi-Periodic Orbits — Yunjun Xu and Shankar Suman; 21 (2), 102-15 (2008).

Yang, Mijia
Quasi-Static Indentation Behavior of Honeycomb Sandwich Materials and Its Application in Impact Simulations — Mijia Yang and Pizhong Qiao; 21 (4), 226-34 (2008).
Impact Mechanics and High-Energy Absorbing Materials: Review — Pizhong Qiao, Mijia Yang, and Florin Bobaru; 21 (4), 235-48 (2008).

Yu, T. X.
Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).

Zhao, H.
Mechanical Behavior of Metallic Hollow Sphere Materials: Experimental Study — Z. Y. Gao, T. X. Yu, and H. Zhao; 21 (4), 206-16 (2008).
Zheng, D.
Analysis of Impact Response of Composite Laminates under Prestress — D. Zheng and W. K. Binienda; 21 (4), 197-205 (2008).
Zheng, Xiahua
Rate-Dependent Shell Element Composite Material Model Implementation in LS-DYNA — Xiahua Zheng and Wieslaw K. Binienda; 21 (3), 140-51 (2008).
Zhu, Linfa
Failure Model for Rate-Dependent Polymer Matrix Composite Laminates under High-Velocity Impact — Linfa Zhu, Aditi Chattopadhyay, and Robert K. Goldberg; 21 (3), 132-9 (2008).